
FUJITEC








Overview

FUJITEC

emand for linear door operators is increasing for modernization and new installation applications. Fujitec has supplied linear door operators throughout Japan and Asia for more than 20 years.

Now available in North America, the APEX series is a result of over 2 decades of research and development which has been adapted to meet the needs of the American market.



FEATURES • BENEFITS

Interfaces to a variety of controllers

Includes mechanical door restrictor

Smooth/quiet door movement like that of its predecessor - Fujitec HSA

Additional set of up-thrust rollers improve door stability

Supports heavy use/high traffic applications

Reliable 1/2 hp (.37kW) induction motor w/ speed reduction V-belt

Achieves precise door movement & speed transitions through feedback control


Integrates w/ 3rd-party door proximity safety sensors to improve performance

Opening Model	Opening Width	OPENING HEIGHT (1)
Single Speed Center	3ft ⁽²⁾ ; 3ft 6in; 4ft	7ft; 8ft; 9ft
Single Speed Side	3ft; 3ft 6in	7ft; 8ft; 9ft
Two Speed Side	3ft 6in; 4ft	7ft; 8ft; 9ft


⁽¹⁾ Maximum 10ft canopy height

⁽²⁾ Car Door Clutch attachment only available for right side

FUJITEC



Performance



fujitecAMERICA.com



